


02

FORMULA

Moulded-case circuit breakers




SACE FORMULA


FORMULA

Moulded-case circuit breakers

A1 - 1 pole

สัณค้ำ	Amp trip (AT) (In)	Amp Frame (AF) (lu)	Icu at 240 Vac (kA)	ชื่อรุ่น	รหัสสัณค้ำ	ราคา (บาท)
	15	125	18	A1C 125 TMF 15-400 1p F F	1SDA066485R1	2,600
	16	125	18	A1C 125 TMF 16-400 1p F F	1SDA068745R1	2,600
	20	125	18	A1C 125 TMF 20-400 1p F F	1SDA066486R1	2,600
	25	125	18	A1C 125 TMF 25-400 1p F F	1SDA066487R1	2,600
	30	125	18	A1C 125 TMF 30-400 1p F F	1SDA066488R1	2,600
	40	125	18	A1C 125 TMF 40-400 1p F F	1SDA066489R1	2,600
	50	125	18	A1C 125 TMF 50-500 1p F F	1SDA066490R1	2,600
	60	125	18	A1C 125 TMF 60-600 1p F F	1SDA066491R1	2,600
	70	125	18	A1C 125 TMF 70-700 1p F F	1SDA066492R1	2,600
	80	125	18	A1C 125 TMF 80-800 1p F F	1SDA066493R1	2,600
	90	125	18	A1C 125 TMF 90-900 1p F F	1SDA066494R1	2,600
	100	125	18	A1C 125 TMF 100-1000 1p F F	1SDA066495R1	2,600
	125	125	18	A1C 125 TMF 125-1250 1p F F	1SDA066496R1	3,250
	20	125	25	A1N 125 TMF 20-400 1p F F	1SDA066686R1	3,070
	25	125	25	A1N 125 TMF 25-400 1p F F	1SDA066687R1	3,070
30	125	25	A1N 125 TMF 30-400 1p F F	1SDA066688R1	3,070	
40	125	25	A1N 125 TMF 40-400 1p F F	1SDA066689R1	3,070	
50	125	25	A1N 125 TMF 50-500 1p F F	1SDA066690R1	3,070	
60	125	25	A1N 125 TMF 60-600 1p F F	1SDA066691R1	3,070	
70	125	25	A1N 125 TMF 70-700 1p F F	1SDA066692R1	3,070	
80	125	25	A1N 125 TMF 80-800 1p F F	1SDA066693R1	3,070	
90	125	25	A1N 125 TMF 90-900 1p F F	1SDA066694R1	3,070	
100	125	25	A1N 125 TMF 100-1000 1p F F	1SDA066695R1	3,070	
125	125	25	A1N 125 TMF 125-1250 1p F F	1SDA066696R1	3,850	


A1 - 2 poles

สัณค้ำ	Amp trip (AT) (In)	Amp Frame (AF) (lu)	Icu at 415 Vac (kA)	ชื่อรุ่น	รหัสสัณค้ำ	ราคา (บาท)
	15	125	36	A1N 125 TMF 15-400 2p F F	1SDA068789R1	3,550
	16	125	36	A1N 125 TMF 16-400 2p F F	1SDA068790R1	3,550
	20	125	36	A1N 125 TMF 20-400 2p F F	1SDA066497R1	3,550
	25	125	36	A1N 125 TMF 25-400 2p F F	1SDA066498R1	3,550
	30	125	36	A1N 125 TMF 30-400 2p F F	1SDA066499R1	3,550
	40	125	36	A1N 125 TMF 40-400 2p F F	1SDA066500R1	3,550
	50	125	36	A1N 125 TMF 50-500 2p F F	1SDA066501R1	3,550
	60	125	36	A1N 125 TMF 60-600 2p F F	1SDA066502R1	3,550
	70	125	36	A1N 125 TMF 70-700 2p F F	1SDA066503R1	3,550
	80	125	36	A1N 125 TMF 80-800 2p F F	1SDA066504R1	3,550
	90	125	36	A1N 125 TMF 90-900 2p F F	1SDA066505R1	3,550
	100	125	36	A1N 125 TMF 100-1000 2p F F	1SDA066506R1	3,550
	125	125	36	A1N 125 TMF 125-1250 2p F F	1SDA066507R1	4,430

FORMULA

Moulded-case circuit breakers


A1 - 3 poles

สับคัท	Amp trip (AT) (In)	Amp Frame (AF) (In)	Icu at 415 Vac (kA)	ชื่อรุ่น	รหัสสินค้า	ราคา (บาท)
	15	125	10	A1A 125 TMF 15-400 3p F F	1SDA066510R1	3,930
	16	125	10	A1A 125 TMF 16-400 3p F F	1SDA068746R1	3,930
	20	125	10	A1A 125 TMF 20-400 3p F F	1SDA066511R1	3,930
	25	125	10	A1A 125 TMF 25-400 3p F F	1SDA066512R1	3,930
	30	125	10	A1A 125 TMF 30-400 3p F F	1SDA066513R1	3,930
	40	125	10	A1A 125 TMF 40-400 3p F F	1SDA066514R1	3,930
	50	125	10	A1A 125 TMF 50-500 3p F F	1SDA066515R1	3,930
	60	125	10	A1A 125 TMF 60-600 3p F F	1SDA066516R1	3,930
	70	125	10	A1A 125 TMF 70-700 3p F F	1SDA066517R1	3,930
	80	125	10	A1A 125 TMF 80-800 3p F F	1SDA066518R1	3,930
	90	125	10	A1A 125 TMF 90-900 3p F F	1SDA066519R1	3,930
	100	125	10	A1A 125 TMF 100-1000 3p F F	1SDA066520R1	3,930
	125	125	10	A1A 125 TMF 125-1250 3p F F	1SDA066521R1	4,920
	15	125	18	A1B 125 TMF 15-400 3p F F	1SDA066697R1	3,960
16	125	18	A1B 125 TMF 16-400 3p F F	1SDA068747R1	3,960	
20	125	18	A1B 125 TMF 20-400 3p F F	1SDA066698R1	3,960	
25	125	18	A1B 125 TMF 25-400 3p F F	1SDA066699R1	3,960	
30	125	18	A1B 125 TMF 30-400 3p F F	1SDA066700R1	3,960	
40	125	18	A1B 125 TMF 40-400 3p F F	1SDA066701R1	3,960	
50	125	18	A1B 125 TMF 50-500 3p F F	1SDA066702R1	3,960	
60	125	18	A1B 125 TMF 60-600 3p F F	1SDA066703R1	3,960	
70	125	18	A1B 125 TMF 70-700 3p F F	1SDA066704R1	3,960	
80	125	18	A1B 125 TMF 80-800 3p F F	1SDA066705R1	3,960	
90	125	18	A1B 125 TMF 90-900 3p F F	1SDA066706R1	3,960	
100	125	18	A1B 125 TMF 100-1000 3p F F	1SDA066707R1	3,960	
125	125	18	A1B 125 TMF 125-1250 3p F F	1SDA066708R1	4,950	
15	125	25	A1C 125 TMF 15-400 3p F F	1SDA066709R1	4,000	
16	125	25	A1C 125 TMF 16-400 3p F F	1SDA068748R1	4,000	
20	125	25	A1C 125 TMF 20-400 3p F F	1SDA066710R1	4,000	
25	125	25	A1C 125 TMF 25-400 3p F F	1SDA066711R1	4,000	
30	125	25	A1C 125 TMF 30-400 3p F F	1SDA066712R1	4,000	
40	125	25	A1C 125 TMF 40-400 3p F F	1SDA066713R1	4,000	
50	125	25	A1C 125 TMF 50-500 3p F F	1SDA066714R1	4,000	
60	125	25	A1C 125 TMF 60-600 3p F F	1SDA066715R1	4,000	
70	125	25	A1C 125 TMF 70-700 3p F F	1SDA066716R1	4,000	
80	125	25	A1C 125 TMF 80-800 3p F F	1SDA066717R1	4,000	
90	125	25	A1C 125 TMF 90-900 3p F F	1SDA066718R1	4,000	
100	125	25	A1C 125 TMF 100-1000 3p F F	1SDA066719R1	4,000	
125	125	25	A1C 125 TMF 125-1250 3p F F	1SDA066720R1	5,000	


FORMULA

Moulded-case circuit breakers

A1 - 3 poles

สับคัท	Amp trip (AT) (In)	Amp Frame (AF) (lu)	Icu at 415 Vac (kA)	ชื่อรุ่น	รหัสสับคัท	ราคา (บาท)
	15	125	36	A1N 125 TMF 15-400 3p F F	1SDA066721R1	4,730
	16	125	36	A1N 125 TMF 16-400 3p F F	1SDA068749R1	4,730
	20	125	36	A1N 125 TMF 20-400 3p F F	1SDA066722R1	4,730
	25	125	36	A1N 125 TMF 25-400 3p F F	1SDA066723R1	4,730
	30	125	36	A1N 125 TMF 30-400 3p F F	1SDA066724R1	4,730
	40	125	36	A1N 125 TMF 40-400 3p F F	1SDA066725R1	4,730
	50	125	36	A1N 125 TMF 50-500 3p F F	1SDA066726R1	4,730
	60	125	36	A1N 125 TMF 60-600 3p F F	1SDA066727R1	4,730
	70	125	36	A1N 125 TMF 70-700 3p F F	1SDA066728R1	4,730
	80	125	36	A1N 125 TMF 80-800 3p F F	1SDA066729R1	4,730
	90	125	36	A1N 125 TMF 90-900 3p F F	1SDA066730R1	4,730
	100	125	36	A1N 125 TMF 100-1000 3p F F	1SDA066731R1	4,730
125	125	36	A1N 125 TMF 125-1250 3p F F	1SDA066732R1	5,910	

A2 - 2 poles


สับคัท	Amp trip (AT) (In)	Amp Frame (AF) (lu)	Icu at 415 Vac (kA)	ชื่อรุ่น	รหัสสับคัท	ราคา (บาท)
	125	250	36	A2N 250 TMF 125-1250 2p F F	1SDA066542R1	5,850
	150	250	36	A2N 250 TMF 150-1500 2p F F	1SDA068778R1	5,850
	160	250	36	A2N 250 TMF 160-1600 2p F F	1SDA066543R1	6,200
	175	250	36	A2N 250 TMF 175-1750 2p F F	1SDA066544R1	6,890
	200	250	36	A2N 250 TMF 200-2000 2p F F	1SDA066545R1	6,890
	225	250	36	A2N 250 TMF 225-2250 2p F F	1SDA066546R1	6,890
	250	250	36	A2N 250 TMF 250-2500 2p F F	1SDA066547R1	6,890




FORMULA

Moulded-case circuit breakers

A2 - 3 poles

สับคัท	Amp trip (AT) (In)	Amp Frame (AF) (In)	Icu at 415 Vac (kA)	ชื่อรุ่น	รหัสสับคัท	ราคา (บาท)
	125	250	18	A2B 250 TMF 125-1250 3p F F	1SDA066548R1	6,240
	150	250	18	A2B 250 TMF 150-1500 3p F F	1SDA068779R1	6,240
	160	250	18	A2B 250 TMF 160-1600 3p F F	1SDA066549R1	6,610
	175	250	18	A2B 250 TMF 175-1750 3p F F	1SDA066550R1	7,340
	200	250	18	A2B 250 TMF 200-2000 3p F F	1SDA066551R1	7,340
	225	250	18	A2B 250 TMF 225-2250 3p F F	1SDA066552R1	7,340
	250	250	18	A2B 250 TMF 250-2500 3p F F	1SDA066553R1	7,340
	125	250	25	A2C 250 TMF 125-1250 3p F F	1SDA066775R1	6,530
	150	250	25	A2C 250 TMF 150-1500 3p F F	1SDA068780R1	6,530
	160	250	25	A2C 250 TMF 160-1600 3p F F	1SDA066776R1	6,900
175	250	25	A2C 250 TMF 175-1750 3p F F	1SDA066777R1	7,670	
200	250	25	A2C 250 TMF 200-2000 3p F F	1SDA066778R1	7,670	
225	250	25	A2C 250 TMF 225-2250 3p F F	1SDA066779R1	7,670	
250	250	25	A2C 250 TMF 250-2500 3p F F	1SDA066780R1	7,670	
125	250	36	A2N 250 TMF 125-1250 3p F F	1SDA066781R1	7,800	
150	250	36	A2N 250 TMF 150-1500 3p F F	1SDA068781R1	7,800	
160	250	36	A2N 250 TMF 160-1600 3p F F	1SDA066782R1	8,260	
175	250	36	A2N 250 TMF 175-1750 3p F F	1SDA066783R1	9,210	
200	250	36	A2N 250 TMF 200-2000 3p F F	1SDA066784R1	9,210	
225	250	36	A2N 250 TMF 225-2250 3p F F	1SDA066785R1	9,210	
250	250	36	A2N 250 TMF 250-2500 3p F F	1SDA066786R1	9,210	


A3 - 3 poles


สับคัท	Amp trip (AT) (In)	Amp Frame (AF) (In)	Icu at 415 Vac (kA)	ชื่อรุ่น	รหัสสับคัท	ราคา (บาท)
	320	400	36	A3N 400 TMF 320-3200 3p F F	1SDA066560R1	20,140
	400	400	36	A3N 400 TMF 400-4000 3p F F	1SDA066561R1	20,140
	500	630	36	A3N 630 TMF 500-5000 3p F F	1SDA066564R1	21,440
	630	630	36	A3N 630 ELT-LI In=630 3p F F	1SDA066566R1	33,830
	320	400	50	A3S 400 TMF 320-3200 3p F F	1SDA066562R1	22,120
	400	400	50	A3S 400 TMF 400-4000 3p F F	1SDA066563R1	22,120
	500	630	50	A3S 630 TMF 500-5000 3p F F	1SDA066565R1	24,020
	630	630	50	A3S 630 ELT-LI In=630 3p F F	1SDA066567R1	37,190

FORMULA

Moulded-case circuit breakers

Breaker Accessories



สินค้า	For	ชื่อรุ่น	รหัสสินค้า	ราคา (บาท)
	A1 ,A2	SOR-C A1-A2 220-240 Vac-220-250Vdc	1SDA066137R1	2,780
	A3 ,T4 ,T5	SOR-C A3-T4-T5-T6 220...240 Vac-220...250Vdc	1SDA054873R1	4,570
	A1 ,A2	UVR-C A1-A2 220-240 Vac-220-250Vdc	1SDA066146R1	4,170
	A3 ,T4 ,T5 ,T6	UVR-C A3-T4-T5-T6 220...250 Vac/dc	1SDA054891R1	4,570
	A1-2P	AUX-C 1Q+1SY 250 V A1 2p	1SDA066151R1	2,090
	A1 ,A2 (3P)	AUX-C 1Q+1SY 250 V A1-A2 3p-4p	1SDA066149R1	2,090
	A1 ,A2 (3P)	AUX-C 2Q+1SY 250 V A1-A2 3p-4p	1SDA066150R1	2,720
	A2-2P	AUX-C 2Q+1SY 250 V A2 2p	1SDA066152R1	2,720
	A3 ,T4 ,T5 ,T6	AUX-C A3-T4-T5-T6 1Q 1SY 250 Vac/dc	1SDA054910R1	3,430
	A3 ,T4 ,T5 ,T6	AUX-C A3-T4-T5-T6 3Q 1SY 250 Vac/dc	1SDA054911R1	4,570
	A1 ,A2	Key Lock On Handle A1-A2	1SDA066174R1	1,140
	A3	Key Lock On Front Flange Lever A3	1SDA054940R1	1,520
	A1 ,A2 (3P)	Removable Padlock (PLL) for A1-A2 3p	1SDA066259R1	710
	A1 ,A2 (3P)	Fixed Padlock for A1-A2 3p	1SDA066172R1	1,070
	A3	Front Flange lever for A3	1SDA066179R1	3,560
	A1 ,A2 (3P)	Direct Rotary Handle for A1-A2 3p	1SDA066154R1	2,260
	A1 ,A2 (3P)	Transmitted Rotary Handle for A1-A2 3p	1SDA066158R1	3,440
	A3	Direct Rotary Handle for A3 3p	1SDA066155R1	3,940
	A3	Transmitted Rotary Handle for A3 3p	1SDA066159R1	5,780



FORMULA

Moulded-case circuit breakers

FORMULA Link System

สินค้า	For	ชื่อรุ่น	รหัสสินค้า	ราคา (บาท)	
 <p>FORMULA Link unit length: F1 = 154 mm; F2 = 200,5 mm; F3 = 247 mm; F4 = 294 mm; F5 = 341 mm</p>	A1	FORMULA Link Busbar 250A size length F1	1SDA066825R1	5,830	
	A1	FORMULA Link Busbar 250A size length F2	1SDA066827R1	6,750	
	A1	FORMULA Link Busbar 250A size length F3	1SDA066828R1	7,740	
	A1	FORMULA Link Busbar 250A size length F4	1SDA066829R1	8,780	
	A1	FORMULA Link Busbar 250A size length F5	1SDA066830R1	9,810	
	A1 ,A2	FORMULA Link Busbar 400A size length F1	1SDA066831R1	7,560	
	A1 ,A2	FORMULA Link Busbar 400A size length F2	1SDA066832R1	8,780	
	A1 ,A2	FORMULA Link Busbar 400A size length F3	1SDA066833R1	10,070	
	A1 ,A2	FORMULA Link Busbar 400A size length F4	1SDA066834R1	11,360	
	A1 ,A2	FORMULA Link Busbar 400A size length F5	1SDA066835R1	12,740	
	A1 ,A2	FORMULA Link Busbar 800A size length F1	1SDA066836R1	9,040	
	A1 ,A2	FORMULA Link Busbar 800A size length F2	1SDA066837R1	10,500	
	A1 ,A2	FORMULA Link Busbar 800A size length F3	1SDA066838R1	12,050	
	A1 ,A2	FORMULA Link Busbar 800A size length F4	1SDA066839R1	13,600	
	A1 ,A2	FORMULA Link Busbar 800A size length F5	1SDA066840R1	15,240	
		A2	Incoming terminal connect FORMULA Link 250A with main MCCB A2	1SDA066822R1	970
		A3 ,T5	Incoming terminal connect FORMULA Link 400A with main MCCB A3-T5	1SDA066823R1	1,380
		T6	Incoming terminal connect FORMULA Link 800A with main MCCB T6	1SDA066824R1	2,200
		T6	Incoming terminal connect FORMULA Link 800A with cable plug	1SDA068744R1	2,200
A1		Outgoing terminal connect FORMULA Link 250-400-800A with A1	1SDA066841R1	1,050	
A2	Outgoing terminal connect FORMULA Link 250-400-800A with A2	1SDA066842R1	1,260		